

ENERGY DRINK
OF YOUR
VEHICLE

What is expert®Atom?

It is a molecular engine additive that does not contain boron and heavy metals, developed with synthetic technology and reinforced with concentrated additives. **expert®Atom** fills and repairs the worn places inside the engine (especially the wear on the upper and lower parts of the cylinder). Particle sizes are in the range of 8-16 microns on average.





Increases engine performance

expert®Atom, which rejuvenates it by revising it by 95% without removing a single bolt from the engine and extends the life of the engine by protecting it again, won the best automotive product award of the year (Altin Zambak).



Prevents smoke

expert®Atom minimizes the blue smoke generated in the oil-burning vehicle by 95%. It prevents the release of soot and harmful gases from the exhaust to the nature.



Prevents engine vibration and irregular running

It prevents vibration and irregular operation caused by LPG usage, late and irregular maintenance, engine internal wear, careless use.



Reduces your engine bearing noise

The bearing gap makes noise in the vehicle's engine. **expert®Atom** fills these gaps and significantly reduces sound.



Inhibits fat burning and steam

expert®Atom prevents steam and oil burning in the engine by 90%.



Saves fuel

After using **expert®Atom**, it provides extra fuel savings as it supports the piston to work more efficiently and comfortably.



Increases engine compression

It prevents vibration and irregular operation caused by LPG usage, late and irregular maintenance, engine internal wear, careless use.



Repairs gaskets and seals

expert®Atom prevents oil leaks by softening and repairing hardened gaskets and seals.



Increases engine power

expert®Atom increases vehicle engine life, horsepower and compression. Increases in values can be monitored on the tester.



Extends the life of the oil

By increasing the resistance of the engine oil, it prevents premature deterioration and foaming of the oil. Longer km of oil. allows it to do.









expert®Atom is repair!

expert®Atom,

repairs the worn places engine by filling it with

By increasing the low

expert®Atom is added



CONTACT









ENERGY DRINK
OF YOUR
VEHICLE

How to use expert®Atom?

- 1 Before application, the vehicle's oil and oil the filter should definitely be changed.
- 2 To get full results, definitely into the old oil. Should not be added.
- 3 After changing the new oil and filter your vehicle's engine should be warmed up by starting it.
- 4 Atoms to the oil, the vehicle is idling. It should be run for 5-10 minutes.
- 5 If the vehicle is already emitting a lot of smoke, by giving gas to the vehicle, beforehand in the exhaust and in the catalytic converter, if any, old accumulated oil residues must be discarded.
- 6 If there is no technical fault in your vehicle, with expert®Atom, full results are inevitable.
- 7 Engine oil capacity up to 3-7 liters one box of Atom is sufficient for vehicles with for vehicles above this capacity, this rate should be taken into account.





- 1 In cases where the engine life is below 50%
- 2 On vehicles with a blown cylinder head gasket
- 3 Gray smoke from vehicle exhaust due to turbo failure if it comes out
- 4 In case of problems caused by injector problem, excessive smoke comes out of the exhaust
- 5 In malfunctions caused by valve tires
- 6 Producing very loud bearing noise due to excessive wear and in vehicles with high oil consumption
- 7 From the engine due to camshaft and crankshaft wear. ABSOLUTELY NOT USED in case of excessive sound!















expert®Atom DOES NOT CONTAIN BORON, LATEX, RUBBER, CERAMIC AND TEFLON!







HAS DOCUMENTATION



CONTACT





